



REVISIONS


ZONE	REV	ECN	DESCRIPTION	DATE	APPROVED
	A		NEW RELEASE	08/29/05	RUTH LIN



TOP VIEW



SIDE VIEW



BOTTOM VIEW

256 SOLDER BALLS

Notes:

1. ALL DIMENSIONS AND TOLERANCE CONFORM TO ASME Y 14.5M-1994
2. DETAILS OF PIN 1 IDENTIFIER ARE OPTIONAL MAY CONSIST OF INK DOT, LASER MARK OR METALLIZED MARKINGS, MUST BE LOCATED WITHIN THE INDICATED ZONE.
3. PRIMARY DATUM C AND SEATING PLANE ARE DEFINED BY THE SPHERICAL CROWNS OF THE SOLDER BALLS.
4. DIMENSION IS MEASURED AT THE MAXIMUM SOLDER BALL DIAMETER, PARALLEL TO PRIMARY DATUM C.
5. ALL DIMENSIONS ARE IN MILLIMETERS.

DRAWN RUTH LIN	DATE 08/29/05	QUICKLOGIC CORP
APPROVED BY K.H. THE	DATE 08/29/05	
		L-BGA, 17x17x1.4mm 2L, PS256 BALL, 1.00mm PITCH
PROJECTION 	SCALE N/A	DWG NO 03-015-83
REFERENCE PACKAGE OUTLINES	QUICKLOGIC PKG CODE: PT256	REV A
		SHEET 1 OF 1